

Airsense Presentation at Pittcon 2008

Sunday

2-Mar-08

	Time	Room	Abstract-Nu.	Titel
Poster	3:30pm-7:30pm	La Nouvelle Orleans Ballroom	230-4P	New Selective Method for the Supervision of Biogas Fermenter Based on Gas-Sensor-Arrays (Electronic Nose)
Poster	3:30pm-7:30pm	La Nouvelle Orleans Ballroom	230-15P	Identification of Explosives using a combination of Ion Mobility Spectrometer and other detectors

Tuesday

4-Mar-08

Poster	9:30am-4:30pm	Exposition Floor - Hall C, Aisles 3000-3400	1190-7P	Monitoring of Odors at an Industrial Facility with a Gas Sensor Array (Electronic Nose)
Poster	9:30am-4:30pm	Exposition Floor - Hall C, Aisles 3000-3400	1660-18P	A portable Pre-concentrator for the Micro-GC

Wednesday

5-Mar-08

Poster	9:30am-4:30pm	Exposition Floor - Hall C, Aisles 3000-3400	1980-2P	Measurement of toxic industrial chemicals with two Ion Mobility Spectrometers: The DMS and the TOF-IMS
Poster	9:30am-4:30pm	Exposition Floor - Hall C, Aisles 3000-3400	1980-3P	The Role of a Dopant Gas for the detection and identification of chemicals with an IMS-based Gas Detector Array

Thursday

6-Mar-08

Oral Session	2:10pm	Room 349	2940-3	Detection of leaking toxic industrial chemicals with an Ex-proof Gas Detector Array using an Ion Mobility Spectrometer
---------------------	--------	----------	--------	--